

PIXMA MG6350

Premium 6-ink All-In-One with touch screen operation, Internet and mobile printing

Premium 6-ink Photo All-In-One, with stylish low-profile design available in black or white. Easy to use with intuitive touch panel and colour touch screen, it also offers mobile and Internet printing.



PIXMA MG6350

you can

- Premium Photo All-In-One printer available in black
- 6 individual ink tanks for efficiency with optional XL inks
- Low-profile stylish Snap Edge design
- Easy operation with Intelligent Touch System and 8.8cm touch screen
- Internet printing with PIXMA Cloud Link including Google Cloud Print
- Smartphone and tablet printing plus Apple AirPrint support
- My Image Garden software for advanced photo printing and scanning
- Double paper cassettes, Auto Duplex and Direct Disc Print
- Quiet mode with Auto Power on and off settings
- Fast printing: ISO ESAT 15ipm mono/10ipm colour, 10x15cm borderless photo in approx. 21 seconds

Product Range

PIXMA MG8250
PIXMA MG6350
PIXMA MG5450
PIXMA MG5350
PIXMA MG4250
PIXMA MG3250
PIXMA MG2250
PIXMA MP230

Canon



Technical Specifications

GENERAL SPECIFICATIONS Main Functions Other Functions What's in the box	Print, Copy, Scan Photolab-quality photos, Double sided, documents, Printing on disc surface, Smartphone and tablet printing, AirPrint support, Printing via Internet, Touch screen operation All-In-One printer, 6 Ink tanks, Power cord, CD-Printing Tray, Setup guide, Software and User's manual CD
PRINTER SPECIFICATIONS Print Resolution Print Engine Mono Document Print Speed Colour Document Print Speed Photo Print Speed Borderless Printing Two Sided Printing Direct Disc Printing Other Print Features	Up to 9600 [1] x 2400 dpi Inkjet FINE print head technology 6-colour system with min. 1pl ink droplet size, 6 Individual Ink Tanks with ChromaLife100+ ESAT: Approx. 15.0 ipm [2] ESAT: Approx. 10.0 ipm [2] Borderless 10x15cm : Approx. 21 seconds [3] Yes, (A4, Letter, 20x25cm, 13x18cm, 10x15cm) Auto Duplex Print (A4, A5, B5, Letter) Yes (software included) Fit-to-Page print, Scaled print, Multiple page per sheet print, Booklet print, Poster print, Collate [4]
INK AND PAGE YIELD Standard Ink Cartridges Optional Ink Cartridges Ink Tank Life - Document Printing Ink Tank Life - Photo Printing	6 individual ink tanks, PGI-550PGBK (Pigment Black), CLI-551BK (Black), CLI-551C (Cyan), CLI-551M (Magenta), CLI-551Y (Yellow), CLI-551GY (Grey) High yield XL ink tanks, PGI-550PGBK XL (Pigment Black), CLI-551BK XL (Black), CLI-551C XL (Cyan), CLI-551M XL (Magenta), CLI-551Y XL (Yellow), CLI-551GY XL (Grey) A4 Colour Document [5], Pigment Black: 300 pages, Pigment Black XL: 500 pages, Black: 1105* pages, Black XL: 4425* pages Cyan: 304 pages, Cyan XL: 665 pages Magenta: 298 pages, Magenta XL: 660 pages Yellow: 330 pages, Yellow XL: 685 pages Grey: 780* pages, Grey XL: 3350* pages <i>* Estimated supplemental yield</i> 10x15cm photo [6], Pigment Black: 3050* photos, Pigment Black XL: 3900* photos Black: 495* photos, Black XL: 1125* photos Cyan: 168 photos, Cyan XL: 369 photos Magenta: 168 photos, Magenta XL: 369 photos Yellow: 168 photos, Yellow XL: 359 photos Grey: 125 photos, Grey XL: 275 photos <i>* Estimated supplemental yield</i>
PAPER SUPPORT Paper Types Maximum Paper Input Paper Sizes Paper Weight	Plain Paper, Envelopes, Photo Paper Pro Platinum (PT-101), Photo Paper Plus Glossy II (PP-201), Photo Paper Pro Luster (LU-101), Photo Paper Plus Semi-gloss (SG-201), Glossy Photo Paper "Everyday Use" (GP-501), Matte Photo Paper (MP-101), High Resolution Paper (HR-101N), T-shirt Transfer (TR-301), Photo Stickers (PS-101), Other Fine Art Paper Lower cassette: Max. 125 sheets (plain paper) Upper cassette: Max. 20 sheets (photo paper) Direct Disc Print Tray: 1 printable CD, DVD or Blu-Ray Disc Lower cassette: A4, A5, B5, Letter, Legal, Envelopes (DL size or Commercial 10), 20x25cm. Upper cassette 10x15cm, 13x18cm Lower cassette: Plain paper: 64 - 105 g/m ² , Photo paper up to approx. 300 g/m ² (Canon special media) Upper cassette: Photo paper up to approx. 300 g/m ² (Canon special media)
SCANNER SPECIFICATIONS Scanner Type Scanner Resolution - Optical A4 Scan Speed Colour Scanning Depth Halftone/Greyscale Compatibility Effective Scanning Width Text Recognition - OCR Scan Methods & Enhancements	Flatbed, CIS colour scanner Up to 2400 x 4800 dpi [7] Approx. 14 seconds [8] Flatbed scan 48bit input / 24bit output (RGB each 16bit/8bit) Flatbed scan 16bit input / 8bit output TWIN / WIA A4/LTR (216x297mm) Yes (My Image Garden software) Scan to PC, Document Scan (PDF, Compact PDF, JPEG, TIFF, PNG), Photo Scan (JPEG, TIFF, PNG), Auto Scan Mode, PDF file creation with optional password security, Text recognition (OCR), Scan and Stitch, Scan to Cloud, Scan to e-mail, Scan to memory card

COPIER SPECIFICATIONS Copy Speed Document Multiple Copy Zoom	sFCOT: Approx. 14 seconds [9] sESAT: Approx. 7.7 ipm [9] 1-99 copies 25 - 400% (in 1% increments) Fit to page A5 to A4, B5 to A4, A4 to A5 and A4 to B5
Copy functions & enhancements	Document Copying, Photo Copying, Disc Label Copy, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Adjust quality (High, Standard, Fast)
INTERFACE Display Type & Size Display Languages	8.8cm Touch Screen with Intelligent Touch System & Quick Operation 23 selectable languages : English, German, French, Italian, Spanish, Dutch, Portuguese, Norwegian, Swedish, Danish, Finnish, Russian, Czech, Hungarian, Polish, Slovenian, Turkish, Greek, Japanese, Simplified Chinese, Traditional Chinese, Korean, Indonesian
Interface Type - PC / Mac	Hi-Speed USB (B Port) Ethernet: 10/100Mbps (auto switchable) Wi-Fi: IEEE802.11 b/g/n
Interface Type - Non PC	Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password Android devices, iPhone, iPod touch and iPad [10], Apple AirPrint, PIXMA Cloud Link, Google Cloud Print, Memory card reader, WLAN PictBridge
Compatible Memory Cards	Compact Flash, Microdrive, SD Card, SDHC Card, MultiMedia Card, MultiMedia Card Plus, Memory Stick Duo, Memory Stick PRO Duo, xD-Picture Card*, xD-Picture Card Type M*, xD-Picture Card Type H*, Memory Stick Micro*, RS-MMC*, mini SD Card*, micro SD Card*, mini SDHC Card*, micro SDHC Card*, MMC mobile*
Card Direct Print Functions	<i>*Using recommended adapter - not supplied.</i> Browse and print photos, select paper type and size, borderless photo print, print previously scanned PDF documents
Card Direct Print Enhancement	Auto Photo Fix II, Red-eye correction, crop image, adjust quality
SOFTWARE Included Software	MP Driver including Scanning Utility, My Image Garden, CREATIVE PARK PREMIUM access, Full HD Movie Print [11], Quick Menu, Easy-WebPrint EX (download) [12]
Supported Operating Systems	Windows 7 (32 and 64bit), Windows Vista SP1, SP2 (32 and 64bit), Windows XP SP3 (32bit), Mac OS X 10.5.8 - 10.8
Windows System Requirements	Windows 7: 1GHz or faster CPU, 1GB RAM (32bit) / 2GB RAM (64bit), Windows Vista SP1 or SP2: 1GHz or faster CPU, 512MB RAM, Windows XP SP3: 300MHz or faster CPU, 128MB RAM, Browser: Internet Explorer 6 or higher, CD-ROM Drive, Display: 800 x 600 or better
Mac System Requirements	Mac OS X v10.7: Intel Core2Duo (or higher) CPU, 1GB RAM, Mac OS X v10.6: Intel CPU, 1GB RAM, Mac OS X v10.5.8: Intel CPU, 512MB RAM, Browser: Safari 3 or higher, CD-ROM Drive Display: XGA 1024 x 768 or better
PHYSICAL FEATURES Weight Dimensions (W x D x H) Acoustic Noise Levels	Approx. 8.4 kg 466 x 369 x 148mm Approx. 43.9 dB (Photo printing) [13] Approx. 51.6 dB (Document printing) [14] Approx. 39.6 dB (Document printing with Quiet Mode on) [14]
Operating Temperature	5-35°C
Operating Humidity	10-90%RH (no dew condensation)
Power Source	AC 100-240V, 50/60Hz
Power Consumption	Standby: approx. 0.9 W (USB connection to PC, scanning lamp off), Off: approx. 0.3 W Copying: approx. 19 W [15] (USB connection to PC)

[1] Ink droplets can be placed with a minimum pitch of 1/4800 inch. [2] Document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard. [3] Photo print speed is based on default driver setting using ISO/IEC-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer. [4] Some features available in Windows driver only. [5] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing. [6] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing. [7] Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the scan size is restricted (maximum optical resolution for A4 scan is 6000dpi). [8] Colour document scan speed is measured with ISO/IEC 24735 Annex C Test Chart A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status displays turn off. [9] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard. [10] Requires connection over Wi-Fi network and installation of free Canon application: EPP for Android and IAPP for iOS. Not available in certain countries or regions. [11] Full HD Movie Print is available for MOV and MP4 movie files created by select Canon digital cameras and camcorders. Requires installation of software bundled with Canon video or digital camera, from which the movie was captured. MOV files require: ZoomBrowser EX / ImageBrowser (version 6.5 or later), MP4 files require: ImageBrowser EX (version 1.0 or later). [12] Easy-WebPrint EX requires Internet Explorer 7 or later. [13] When printing ISO/IEC-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings. [14] Acoustic noise measured based on ISO 7779 standard. [15] When copying ISO/IEC-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings. All specifications subject to change without notice. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc. Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield All brand and product names are trademarks of their respective companies: Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc.
canon.com

Canon Europe
canon-europe.com

English Edition
© Canon Europa N.V., 2012

Canon Europe Ltd
3 The Square, Stockley Park
Uxbridge, Middlesex
UB11 1ET, UK

For further information visit www.canon-europe.com



Premium 6-ink All-In-One with touch screen operation, Internet and mobile printing.

Premium 6-ink Photo All-In-One, with stylish low-profile design available in black. Easy to use with intuitive touch panel and colour touch screen, it also offers mobile and Internet printing.

Sales start date: November 2012

Target market: Creative connectors & Achievers

Product details

Product name	Mercury Code	EAN Code	Recommended Retail Price
MG6350 Black EUR	6226B008AA	4960999848105	£169

What's in the box?

- PIXMA M6350 All-In-One
- Power cord
- 6 individual ink tanks PGI-550PGBK CLI-551BK, CLI-551C, CLI-551M, CLI-551Y, CLI-551GY
- Warranty sheets
- Setup software and User's manual CD including My Image Garden with text OCR and HD Movie Print

Consumables

Product name	Mercury Code	EAN Code	Recommended Retail Price
Inks			
PGI-550PGBK	6496B001AA	4960999904580	<Please fill in your local RRP>
CLI-551 BK	6508B001AA	4960999905235	<Please fill in your local RRP>
CLI-551 C	6509B001AA	4960999905556	<Please fill in your local RRP>
CLI-551 M	6510B001AA	4960999905242	<Please fill in your local RRP>
CLI-551 Y	6511B001AA	4960999905563	<Please fill in your local RRP>
CLI-551 GY	6512B001AA	960999904627	<Please fill in your local RRP>
Optional inks			
PGI-550PGBK XL	6431B001AA	4960999904504	<Please fill in your local RRP>
CLI-551BK XL	6443B001AA	4960999904948	<Please fill in your local RRP>
CLI-551C XL	6444B001AA	4960999904931	<Please fill in your local RRP>
CLI-551M XL	6445B001AA	4960999904924	<Please fill in your local RRP>
CLI-551Y XL	6446B001AA	4960999904917	<Please fill in your local RRP>
CL-551GY XL	6447B001AA	4960999904542	<Please fill in your local RRP>

Logistics information

Pack Description	Qty	Dimensions (L x W x H in mm)	Weight (Net/Gross in kg)
Individual	1	534.5 x 215.5 x 482	10.5kg / 8.3kg
Pallet (Upper)	20	1087 x 1087 x 968	212kg / 210kg
Pallet (Bottom)	20	1087 x 1087 x 968	212kg / 210kg